I claim:

- 1. A transgenic plant resistant to the effects of externally imposed stresses, wherein the transgenic plant comprises a nucleotide sequence comprising an exogenous tonoplast pyrophosphate driven H + pump gene operably linked to a promoter.
- 2. The transgenic plant of Claim 1, wherein the externally imposed stresses to which the plant is resistant are selected from the group consisting of drought, prolonged exposure to temperatures below O° C, and a growth medium high in salt content.
- 3. The transgenic plant of Claim 2, wherein the growth medium is selected form the group consisting of soil and water.
- 4. The transgenic plant of claim 1, wherein the exogenous tonoplast driven H+ pump gene\encodes AVP1, or a homolog thereof.
- 5. The method of Claim 4, wherein the AVP1, or homolog thereof, is encoded by a gene present in a construct designed to overexpress AVP1, or homolog thereof.
- 6. The method of Claim 4, wherein the construct comprises the AVP1 gene, or homologue thereof, operably linked to a chimeric promoter designed to overexpress AVP1.
- 7. The method of Claim 4, wherein the *AVP1* gene or homologue thereof is operably linked to a chimeric promoter selected from the group consisting of tissue specific promoters, constitutive promoters, inducible promoters and combinations thereof.
- 8. The method of Claim 4, wherein the AVP1 gene is operably linked to a tissue-specific promoter that promotes expression of AVP1 in pollen.
- 9. The method of Claim 4, wherein the AVP1 gene, or homolog thereof, is operably linked to a double tandem enhancer of a 35S CaMV promoter.

- 10. The method of Claim 4, wherein the *AVP1* gene, or homolog thereof, is derived from a wild type plant.
- 1 \. The method of Claim 4, wherein the AVP1, or homolog thereof, is derived from a transgenic plant.
 - 12. A seed produced by the transgenic plant of Claim 1.
 - 13. A progeny plant from the seed of Claim 12.
- 14. A transgenic plant obtained by introducing into the genome of the plant exogenous nucleic acid that alters expression of vacuolar pyrophosphatase in the transgenic plant.
- 15. Plant dells comprising exogenous nucleic acid that alters expression of vacuolar pyrophosphatase in the plant cell.
- 16. The plant cells of Claim 15, wherein the cells are selected from the group consisting of root cells and stem cells.
- 17. The plant cells of Claim 15, wherein the exogenous nucleic acid encodes AVP1.
- 18. The plant cells of Claim 17, wherein the AVP1 is derived from a wild type plant of the same species from which the transgenic plant is derived.
- 19. The plant cells of Claim 17, wherein the AVP1 is derived from a wild type plant of a different species from which the transgenic plant is derived.
- 20. A method for increasing production of seeds in plants comprising the steps of:
 - (a) providing pollen from a first plant, wherein said first plant has been transformed with a tonoplast pyrophosphate driven H+ pump gene operably linked to a promoter to create a transgenic plant;
 - (b) fertilizing a second plant of the same species from which the first plant is derived with the pollen from the transgenic plant; and

- (c) culturing the fertilized plant until the plant produces mature seeds.
- 21. The method of Claim 20, wherein the tonoplast pyrophosphatase driven H+ pump gene transformed into the first plant is exogenous.
- 22. The method of Claim 20, wherein the second plant is a transgenic plant.
- 23. The method of Claim 20, wherein the second plant is a wild type plant.
- 24. The method of Claim 21, wherein said exogenous tonoplast pyrophosphate driven H + pump gene is operably linked to a chimeric promoter.
- 25. The method of claim 24, wherein said exogenous tonoplast pyrophosphate driven H + pump gene encodes AVP1.
 - 26. A plant/seed produced by the method of claim 21.
 - 27. A progeny/plant grown from the plant seed of claim 26.
- 28. The method of claim 22, wherein the first and second plants are from the species A. thaliana.
- 29. The method of claim 22, wherein the first and second plants are from the species Nicotinia tabacum.
- 30. The method of claim 22, wherein the second plant has been transformed with a polynucleotide sequence comprising an exogenous tonoplast pyrophosphatase driven H + pump gene operably linked to a promoter.
 - 31. A plant seed produced by the method of claim 22.
 - 32. A progeny plant grown from the plant seed of claim 31.

